


































Podział	Numer zbrojenia	Średnica pręta [mm]	Długość pręta [mm]	Całkowita długość pręta [mm]	masa /m [kg]	Ilość	waga całkowita [kg]	A [mm]	B [mm]	C [mm]	D [mm]	Obraz kształtu	Odstęp [mm]
B-3													
B-3	1	6	811	11340	0.22	14	2.52	190	190	40	40		150
B-3	2	12	4412	8840	0.89	4	7.85	100	2060	100	0		
B-3			5223	20180		18	10.37						
B-4													
B-4	1	6	811	8910	0.22	11	1.98	190	190	40	40		150
B-4	2	12	3907	7800	0.89	4	6.96	100	1800	100	0		
B-4			4718	16710		15	8.94						
B-5													







B-5	1	6	691	9660	0.22	14	2.15	190	130	40	40		150
B-5	2	12	4201	8400	0.89	4	7.48	110	1930	110	0		
B-5			4892	18060		18	9.62						
B-6													
B-6	1	6	1862	31620	0.22	34	7.03	250	190	40	40		150
B-6	2	12	6384	12760	0.89	4	11.36	180	2870	180	0		
B-6	3	12	6336	19020	0.89	6	16.92	180	2850	180	0		
B-6			14583	63400		44	35.31						
B-7													







B-7	1	6	2102	87150	0.22	83	19.36	250	250	40	40		150
B-7	2	12	12863	51440	0.89	4	45.79	150	12610	150	0		
B-7	3	12	12851	51400	0.89	4	45.75	150	12600	150	0		
B-7			27816	189990		91	110.91						
B-8													
B-8	1	6	2433	41310	0.22	51	9.18	190	190	40	40		150
B-8	2	12	9059	27180	0.89	9	24.19	150	2770	150	0		
B-8	3	12	9431	28260	0.89	9	25.18	200	2790	200	0		
B-8			20923	96750		69	58.55						
B-9													







B-9	1	6	631	6930	0.22	11	1.54	190	100	40	40		150
B-9	2	12	2944	5880	0.89	4	5.24	1470	0	0	0		
B-9			3575	12810		15	6.78						
B-10													
B-10	1	6	1622	46170	0.22	57	10.26	190	190	40	40		150
B-10	2	12	12612	37800	0.89	12	33.67	210	2970	0	0		
B-10	3	12	9518	28560	0.89	6	25.41	4760	0	0	0		
B-10			23752	112530		75	69.35						
B-11													
B-11	1	6	831	18260	0.22	22	4.06	200	190	40	40		180







B-11	2	12	9112	27330	0.89	3	24.33	270	8650	240	0		
B-11			9943	45590		25	28.39						
B-12													
B-12	1	6	711	33370	0.22	47	7.42	200	130	40	40		180
B-12	2	12	8997	18000	0.89	2	16.01	190	8660	190	0		
B-12	3	12	8973	17940	0.89	2	15.97	190	8630	190	0		
B-12			18681	69310		51	39.40						
B-13													
B-13	1	8	3804	105410	0.40	83	42.10	350	250	50	50		100
B-13	2	16	9242	46200	1.58	10	73.01	4140	520	0	0		






B-13	3	16	5740	28700	1.58	10	45.35	2870	0	0	0		
B-13	4	16	9210	46000	1.58	10	72.76	4120	520	0	0		
B-13	5	16	14586	72900	1.58	10	115.23	6860	470	0	0		
B-13			42581	299210			123	348.44					
B-14													
B-14	1	6	799	13600	0.22	17	3.02	180	190	40	40		150
B-14	2	12	3360	10080	0.89	3	8.97	240	2920	240	0		
B-14	3	12	3204	9600	0.89	3	8.56	180	2900	180	0		
B-14			7364	33280			23	20.54					
B-16													









B-16	1	6	3393	66670	0.22	59	14.81	350	190	40	40		200
B-16	2	12	6882	20640	0.89	3	18.38	210	6700	0	0		
B-16	3	12	6092	18270	0.89	3	16.27	210	5910	0	0		
B-16	4	12	6106	18330	0.89	3	16.30	210	5920	0	0		
B-16	5	12	6896	20700	0.89	3	18.41	210	6710	0	0		
B-16			29370	144610		71	84.17						
B-17													
B-17	1	6	2793	42780	0.22	46	9.51	250	190	40	40		180












B-17	2	12	9112	27330	0.89	3	24.33	270	8650	240	0		
B-17	3	12	9088	27270	0.89	3	24.27	270	8620	240	0		
B-17			20993	97380		52	58.10						
B-19													
B-19	1	6	1039	17680	0.22	17	3.92	240	250	40	40		150
B-19	2	12	3312	9930	0.89	3	8.84	240	2870	240	0		
B-19	3	12	3276	9840	0.89	3	8.75	240	2850	240	0		
B-19			7627	37450		23	21.51						
B-20													
B-20	1	6	1351	94500	0.22	70	20.99	400	250	40	40		180








B-20	2	12	25726	102880	0.89	8	91.58	150	12610	150	0		
B-20			27077	197380		78	112.58						
B-21													
B-21	1	6	811	17010	0.22	21	3.78	190	190	40	40		150
B-21	2	12	6881	20640	0.89	6	18.37	120	3250	120	0		
B-21			7692	37650		27	22.15						
B-23													
B-23	1	6	2793	59520	0.22	64	13.23	250	190	40	40		180
B-23	2	12	12185	36540	0.89	6	32.53	210	5910	0	0		
B-23	3	12	13765	41280	0.89	6	36.75	210	6700	0	0		
B-23			28742	137340		76	82.51						








B-24													
B-24	1	6	611	28670	0.22	47	6.37	150	130	40	40		180
B-24	2	12	8897	17800	0.89	2	15.84	140	8660	140	0		
B-24	3	12	8973	17940	0.89	2	15.97	190	8630	190	0		
B-24			18481	64410		51	38.18						
B-25													
B-25	1	6	3957	60720	0.22	46	13.47	440	190	40	40		180
B-25	2	12	9112	27330	0.89	3	24.33	270	8650	240	0		
B-25	3	12	9476	28440	0.89	3	25.30	460	8620	440	0		
B-25			22545	116490		52	63.10						
B-26													








B-26	1	8	4672	126360	0.40	108	50.46	300	250	50	50		100
B-26	2	16	14718	73600	1.58	10	116.27	6880	520	0	0		
B-26			19389	199960		118	166.72						
B-28													
B-28	1	6	811	62370	0.22	77	13.86	190	190	40	40		150
B-28	2	12	12058	24120	0.89	4	21.46	140	5910	0	0		
B-28	3	12	12512	25040	0.89	4	22.27	360	5920	0	0		
B-28			25382	111530		85	57.60						
B-29													







B-29	1	6	1051	60900	0.22	58	13.53	250	250	40	40		200
B-29	2	12	6947	20850	0.89	3	18.55	600	6030	370	0		
B-29	3	12	12755	38280	0.89	3	34.06	370	11840	600	0		
B-29	4	12	12240	36720	0.89	3	32.68	240	11800	240	0		
B-29			32994	156750		67	98.82						
LF-1													
LF-1	1	12	1700	23800	0.89	28	21.19	200	500	200	0		180
LF-1	2	12	4075	20400	0.89	5	18.13	4080	0	0	0		
LF-1	3	12	3593	7180	0.89	2	6.40	3590	0	0	0		
LF-1	4	8	3106	40300	0.40	26	16.15	240	500	50	50		200






LF-1	5	12	3617	18100	0.89	5	16.10	3620	0	0	0		
LF-1	6	12	3573	7140	0.89	2	6.36	3570	0	0	0		
LF-1			19665	116920		68	84.33						
LF-2													
LF-2	1	8	10144	100330	0.40	79	40.07	300	300	50	50		200
LF-2	2	12	9120	27360	0.89	6	24.35	4560	0	0	0		
LF-2	3	12	6185	18540	0.89	6	16.51	3090	0	0	0		
LF-2	4	12	4326	12960	0.89	6	11.55	2160	0	0	0		
LF-2	5	12	5047	15120	0.89	6	13.48	2520	0	0	0		
LF-2	6	12	4204	12600	0.89	6	11.23	2100	0	0	0		
LF-2	7	12	2422	7260	0.89	6	6.47	1210	0	0	0		
LF-2	8	12	2574	7740	0.89	6	6.87	1290	0	0	0		
LF-2	9	12	1974	5940	0.89	6	5.27	990	0	0	0		
LF-2			45996	207850		127	135.79						
LF-3.1													






LF-3.1	1	8	1480	57720	0.40	39	23.09	210	500	50	50		200
LF-3.1	2	12	1580	75840	0.89	48	67.51	250	1130	250	0		150
LF-3.1	3	12	29683	128570	0.89	13	114.48	9890	0	0	0		
LF-3.1	4	8	1486	58110	0.40	39	23.17	210	500	50	50		200
LF-3.1			34229	320240		139	228.25						
LF-4													
LF-4	1	12	6601	501600	0.89	304	446.49	150	1400	150	0		150
LF-4	2	16	24400	244000	1.58	20	385.53	12200	0	0	0		
LF-4	3	12	12080	120800	0.89	10	107.51	12080	0	0	0		








LF-4	4	8	4063	235480	0.40	116	94.27	480	500	50	50		200
LF-4	5	12	12200	122000	0.89	10	108.58	12200	0	0	0		
LF-4			59345	1223880		460	1142.39						
LF-5													
LF-5	1	8	1702	93500	0.40	55	37.44	320	500	50	50		200
LF-5	2	12	1334	89110	0.89	67	79.56	240	900	240	0		150
LF-5	3	12	24713	123600	0.89	10	109.97	12360	0	0	0		
LF-5	4	12	1150	93150	0.89	81	82.92	150	900	150	0		150
LF-5	5	12	27855	111440	0.89	8	99.16	510	12960	510	0		180









LF-5	6	8	1472	85260	0.40	58	34.14	200	500	50	50		200
LF-5			58226	596060		279	443.21						
P-4													
P-4	1	12	9032	189630	0.89	21	168.82	150	8720	220	0		150
P-4	2	12	8879	186480	0.89	21	165.96	120	8690	110	0		150
P-4	3	12	3356	188160	0.89	56	167.29	120	3170	120	0		150
P-4	4	12	3334	186480	0.89	56	166.18	120	3150	120	0		150
P-4			24603	750750		154	668.24						
P-5													
P-5	1	12	1128	63280	0.89	56	56.21	400	750	0	0		150
P-5	2	12	848	47600	0.89	56	42.26	130	740	0	0		150








P-5	3	10	8952	62650	0.62	7	38.66	140	8720	140	0		150
P-5	4	10	9516	66640	0.62	7	41.10	460	8680	410	0		150
P-5			20443	240170		126	178.24						
S-1													
S-1	1	6	5117	76650	0.22	105	17.04	200	140	40	40		100
S-1	2	12	27215	103740	0.89	42	92.48	2280	220	0	0		
S-1	3	12	2466	9880	0.89	4	8.78	2270	220	0	0		
S-1			34798	190270		151	118.30						
S-2													
S-2	1	6	5106	76500	0.22	90	17.00	200	200	40	40		100






S-2	2	16	30378	91200	1.58	30	143.99	2480	590	0	0		
S-2	3	12	5140	15420	0.89	6	13.72	2280	320	0	0		
S-2			40624	183120		126	174.72						
S-3													
S-3	1	6	611	9150	0.22	15	2.03	140	140	40	40		100
S-3	2	12	5340	16020	0.89	6	14.26	2280	420	0	0		
S-3			5951	25170		21	16.29						
S-4													
S-4	1	6	1862	17670	0.22	19	3.93	250	190	40	40		180







S-4	2	12	7878	23640	0.89	6	21.03	350	3610	0	0		
S-4			9740	41310		25	24.96						
S-5													
S-5	1	6	2102	23100	0.22	22	5.13	250	250	40	40		150
S-5	2	16	8418	25260	1.58	6	39.90	3640	600	0	0		
S-5			10520	48360		28	45.03						
S-6													
S-6	1	6	2793	20460	0.22	22	4.55	250	190	40	40		180
S-6	2	12	4811	14430	0.89	3	12.85	610	4230	0	0		





S-6	3	12	4770	14310	0.89	3	12.74	690	4100	0	0		
S-6			12375	49200		28	30.13						
S-7													
S-7	1	6	5586	66960	0.22	72	14.88	250	190	40	40		
S-7	2	12	18498	73920	0.89	24	65.85	3080	0	0	0		
S-7	3	12	10800	43200	0.89	24	38.45	1800	0	0	0		
S-7			34884	184080		120	119.18						
S-7.1													
S-7.1	1	6	3724	46500	0.22	50	10.33	250	190	40	40		
S-7.1	2	12	12332	49280	0.89	16	43.90	3080	0	0	0		
S-7.1	3	12	7200	28800	0.89	16	25.63	1800	0	0	0		
S-7.1			23256	124580		82	79.87						
S-8													

S-8	1	6	811	17820	0.22	22	3.96	190	190	40	40		150
S-8	2	12	6290	18900	0.89	6	16.79	3150	0	0	0		
S-8	3	12	3800	11400	0.89	6	10.15	1900	0	0	0		
S-8			10901	48120		34	30.90						
S-9													
S-9	1	6	4204	84000	0.22	80	18.67	250	250	40	40		150
S-9	2	16	37740	100800	1.58	32	159.01	3150	0	0	0		
S-9	3	16	22200	59200	1.58	32	93.54	1850	0	0	0		
S-9			64144	244000		144	271.21						
S-9.1													
S-9.1	1	6	1051	23100	0.22	22	5.13	250	250	40	40		150
S-9.1	2	16	9435	25200	1.58	8	39.75	3150	0	0	0		

S-9.1	3	16	5550	14800	1.58	8	23.38	1850	0	0	0		
S-9.1			16036	63100		38	68.27						
S-10													
S-10	1	6	2793	25110	0.22	27	5.58	250	190	40	40		
S-10	2	12	9632	19280	0.89	4	17.15	620	4220	0	0		
S-10	3	12	8396	16800	0.89	4	14.94	4200	0	0	0		
S-10			20821	61190		35	37.67						
S-10.1													
S-10.1	1	6	5586	44640	0.22	48	9.92	250	190	40	40		
S-10.1	2	12	18360	36720	0.89	8	32.68	390	4220	0	0		
S-10.1	3	12	16840	33680	0.89	8	29.98	4210	0	0	0		
S-10.1			40786	115040		64	72.58						
S-11													

S-11	1	6	1622	20250	0.22	25	4.50	190	190	40	40		150
S-11	2	12	9181	18360	0.89	4	16.34	390	4220	0	0		
S-11			10803	38610		29	20.84						
S-12													
S-12	1	6	3724	46500	0.22	50	10.33	250	190	40	40		
S-12	2	12	13456	26880	0.89	8	23.95	3360	0	0	0		
S-12	3	12	14928	29840	0.89	8	26.57	3360	390	0	0		
S-12			32108	103220		66	60.86						
S-13													

S-13	1	6	6306	94500	0.22	90	21.00	250	250	40	40		150
S-13	2	16	14259	28500	1.58	6	45.06	4750	0	0	0		
S-13	3	16	31883	95580	1.58	18	151.13	4750	600	0	0		
S-13			52448	218580		114	217.18						
S-14													
S-14	1	6	2102	46200	0.22	44	10.27	250	250	40	40		150
S-14	2	16	16071	48240	1.58	12	76.18	3450	600	0	0		
S-14	3	16	6918	13840	1.58	4	21.86	3460	0	0	0		
S-14			25091	108280		60	108.30						
SF-1													

SF-1	1	12	3075	171920	0.89	56	153.25	980	500	90	90		150
SF-1	2	12	3915	183770	0.89	47	163.75	800	1100	90	90		150
SF-1	3	16	32509	243900	1.58	30	385.23	8130	0	0	0		
SF-1	4	16	8971	62790	1.58	7	99.22	8970	0	0	0		150
SF-1			48470	662380		140	801.45						
Suma:			1180606	8243250		3925	6730.25						